94

	Application No.	Applicant(s)	Applicant(s)	
Notice of Allowability	10/600,610	AOTA ET AL.		
	Examiner	Art Unit		
	Kiley Stoner	1725		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>6-23-03</u> .				
2. The allowed claim(s) is/are <u>1-5</u> .				
3. The drawings filed on 23 June 2003 are accepted by the Examiner.				
 4.				
noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 				
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
		· · · · · · · · · · · · · · · · · ·		
	المراجع المستسجيب		en e	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)		nformal Patent Application (F	•	
 Notice of References Cited (1 10-032) Discrete of Notice of Draftperson's Patent Drawing Review (PTO-948) 	<u> </u>	Summary (PTO-413),		
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/	Paper No	./Mail Date s Amendment/Comment		
Paper No./Mail Date 6-23-03	,,		Havvanaa	
4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner: 9. ☐ Other	s Statement of Reasons for A	Milowance	
of Biological Material	3. [] Oulei	·		
		•		

Application/Control Number: 10/600,610

Art Unit: 1725

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On page 1, line 5 after "08/820,231," insert –now U.S. Patent 6,581,819--.

Allowable Subject Matter

Claims 1-5 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art of record does not teach or suggest either alone or in combination a friction stir welding method as recited by claim 1, particularly the first and second members are located in the abutting step such that the face of the portion of the first member which is not the raised portion of the first member is in substantially the same plane as the face of the second member, and under the condition where the rotary tool is inserted from the side of the raised portion to the raised portion and the abutted portion, carrying out the friction stir welding of the abutted portion; or a structure body as recited by claim 4, particularly the end portion of the first member and the end portion of the second member are welded by the friction stir welding, providing the welding portion, and the

Application/Control Number: 10/600,610

Art Unit: 1725

raised portion which is connected to the welding portion and projects to the outer portion from one side face of the first member; or a structure body as recited by claim 5, particularly the welding portion including faces which are one side face of the first member and another face which is substantially in parallel to the one face, the raised portion which is connected to the welding portion of the one side face and projects to the outer portion of the member from the one side face of the first member, and the recessed portion which is connected to the welding portion of the one side face and projects to the outer portion of the first member from the one side face of the first member.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art of record that is cited as of interest is presented on the form-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kiley Stoner whose telephone number is (571) 272-1183. The examiner can normally be reached on Monday-Thursday (7:30 a.m. to 6:00 p.m.).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Dunn can be reached on Monday-Friday at (571) 272-1171. The fax

Page 4

Application/Control Number: 10/600,610

Art Unit: 1725

phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KILEY S. STONER PRIMARY EXAMINER

Kly Atom 12/15/04